



Lexmark XM9145, XM9155, XM9165

Advanced MFP features and SRA3 media support



*Model shown is the Lexmark XM9165 fully configured



Mono



25cm class
touch screen



Solutions



Security



Duplex ADF
single-pass



Duplex
printing



Up to 65 ppm



SRA3



Finishing
function



Lexmark is leading the way in print innovation, from a growing line of smart MFPs, to cloud-enabled software, and security for every document.

Beyond printing, Lexmark works to deliver tailored solutions that solve the unique challenges businesses face. We have a long history of research and development focused on connecting unstructured print and digital information across your organisation with the processes, applications and people that need it most.

Our broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best. Our Managed Print Services offering not only optimises your output infrastructure, but helps you anticipate future needs and streamline workflows to reduce printing and waste.

Lexmark serves businesses of all sizes in over 170 countries and is unique in the breadth and depth of the hardware, software and services that are the foundation of our solutions.

We're proud of our high level of customer loyalty, as well as our reputation among industry analysts who consistently place Lexmark in a leadership position, in both technology and global service delivery.

Our goal is to create "customers for life" by knowing your business well and listening to you. We leverage our deep industry experience and extensive technology ownership to assess your needs and create tailored solutions that position you to exceed your customers' expectations, drive financial performance and promote future flexibility.

Social responsibility is our business

We operate our business in a manner that results in a better world from both a social and ecological perspective. As we strive to maintain best practices for sustainability, Lexmark's commitment to corporate social responsibility is global in reach, balancing economic, environmental and social concerns.

Our respect for these principles applies within our own organisation and as it relates to our partners. We extend our commitment even further by developing solutions that enable our customers to achieve their own sustainability goals.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance, while helping you conserve paper and energy.

The Lexmark Cartridge Collection Programme (LCCP) provides a variety of methods for free returns of your empty cartridges to Lexmark, or our collection partners. Programme availability and details vary by country.

In more than 60 countries worldwide, customers participating in the award-winning LCCP, return more than 1 out of 3 toner cartridges, far exceeding industry averages. LCCP follows a zero landfill and incineration policy, ensuring that all the empty cartridges returned from customers are reused or recycled to their greatest environmental benefit.

Lexmark continues to innovate with its closed-loop cartridge recycling operations. Our toner cartridge product line contains, on average, 10% by weight of post-consumer recycled (PCR) plastic content, partially provided through LCCP. In some models, the PCR plastic content is already up to 28%. Lexmark has established an impressive goal to reach a 25% average PCR plastic content for our entire toner cartridge line by 2016.



Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council

Advanced features and flexible media handling

High-volume output, long-life components, solid security and advanced finishing, make the Lexmark XM9100 Series the ultimate monochrome SRA3-capable multifunction product from Lexmark.

- ▶ The XM9100 Series takes only seconds to produce a first page, then prints up to 45 - 65 pages per minute, depending on the model.
- ▶ Print complex pages quickly with a powerful 800 MHz dual-core processor and up to 3 GB of memory.
- ▶ The photoconductor unit is rated for up to 125,000 pages, whilst the fuser can reach up to 720,000 pages⁴. Replacing fewer components over the life of the product not only saves resources, but means less maintenance and more uninterrupted productivity.
- ▶ Your device, your information and your network are more secure with features like remote manageability, network security, and secure storage and optional print release.
- ▶ Finishing options for the XM9100 Series devices include single or multi-position stapling, offset stacking, hole-punching, and both trifold and saddle-stitched booklets.

Productivity with a user focus

Print from anywhere, scan faster, and interact via a clear and customisable user interface.

- ▶ Lexmark Mobile Print allows users to print from anywhere via mobile devices*, as well as desktop computers.
- ▶ Integrated two-sided printing - a user-selectable option - saves paper and doesn't slow you down, printing individual sheet sides (images) at up to 65 ppm.
- ▶ With the ability to process up to 140 images per minute through the duplexing automatic document feeder, your staff can digitise hard copy originals faster, freeing them sooner for more important things.
- ▶ The XM9100 Series' tilting, 25 cm class colour touch screen, keeps users informed of device status and error messages, whilst visually guiding them through tasks like replacing a toner cartridge.
- ▶ The large, vivid display is also ideal for print and scan preview, and has magnification and reverse image options to assist users with varying abilities.
- ▶ Lexmark's innovative e-Task user interface makes it easy to take advantage of pre-installed solutions to meet business process needs.

*For more information on Lexmark Mobile Solutions see lexmark.com/mobile

Propel your business forwards

Our solutions are designed with your productivity in mind. The Lexmark XM9100 Series is based on the eSF (Embedded Solutions Framework) platform that lets you interact with business applications directly on the device or with a server, on premise or hosted in "the cloud." Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Navigate to efficiency

The Lexmark colour touch screen is a key access point for your device. The series' extra-large, customisable 25 cm class colour touch screen features the powerful and interactive eTask user interface. It gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

Examples of preloaded solutions*



Forms and Favourites

Instantly access required online forms from any eTask-equipped Lexmark printer or multifunction product (MFP) to help simplify and streamline work processes.



Multi Send

Scan a paper document once and route the digital image file to multiple destinations simultaneously.



My Shortcuts

Save time and improve efficiency by creating shortcuts for your most frequent copy, fax and e-mail tasks.



Card Copy

Scan both sides of a wallet-sized card and print them on one page, e-mail them as a file or save them to a shared network folder.



Scan to Network

Capture the image of a document and route it to one of 100 predefined personal or public network folders.



Customer support

Send an e-mail alert to your help desk or service provider to request service or support, directly from the touch screen. Pertinent information about the device can be automatically attached to the e-mail message.



Manage Address Book

An administrator can import and export e-mail shortcuts and fax shortcuts from a CSV file.



Fax Forwards

Forwards incoming faxes to a Windows fileshare.

*Additional Lexmark solutions are available through your authorised Business Solution Dealer.



Flexible media handling

Show the big picture that typical printers can't produce, with SRA3 printing capability, and up to 6,650 pages of input capacity.



25 cm class colour touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible and tactile feedback when you use the touch screen.



Flexible finishing options

Choose from multiple finishing options, including optional finishers that perform stapling, offset stacking, hole punching and create both trifold and saddle-stitched booklets.



Single-pass duplex automatic document feeder

Save time by scanning both sides of your document at up to 140 sides per minute, or 80 sides per minute for single-sided documents.



Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats (.jpeg (or.jpg), .tiff (or .tif), .gif, .bmp, .png, .pcx, .dcx, PDF (Version 1.7 or earlier), XPS).



Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



Long-life components

The photoconductor unit is rated for up to 125,000 pages, while the fuser can reach up to 720,000 pages.⁴ Replacing fewer components over the life of the product not only saves resources, but means less maintenance and more uninterrupted productivity.





Eco-friendly features


Easy-to-access features like Eco-Mode reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.




Monochrome multifunction products




2 x 500-sheet tray




Staple punch finisher



Inner finisher



Cabinet with castors



Banner tray

■ Standard

■ Optional

The line art features the standard set-up that can be different per model.

Monochrome multifunction products



Product specifications	Lexmark XM9145	Lexmark XM9155	Lexmark XM9165
Printing			
Display	Lexmark e-Task 25 cm (10-inch) class colour touch screen		
Print Speed: Up to ⁵	Black: 45 ppm	Black: 55 ppm	Black: 65 ppm
Time to First Page: As fast as	Black: < 5.6 seconds	Black: < 5.5 seconds	Black: < 5.2 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory / Processor	standard: 1024 MB / maximum: 3072 MB / Dual Core, 800 MHz		
Hard Disk	Included in configuration		
Recommended Monthly Page Volume ²	15000 - 50000 Pages		
Maximum Monthly Duty Cycle: Up to ³	200000 pages per month	300000 pages per month	
Copying			
Copy Speed: Up to ⁵	Black: 45 cpm	Black: 55 cpm	Black: 65 cpm
Time to First Copy: As fast as	black: 5.8 seconds		black: 5.6 seconds
Scanning			
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)		
A4/Ltr Duplex Scan Speed: Up to	Mono: 140 sides per minute / Colour: 140 sides per minute		
A4/Ltr Simplex Scan Speed: Up to	Mono: 80 sides per minute / Colour: 80 sides per minute		
ADF Paper Input Capacity: Up to	100 pages 75 gsm bond		
Faxing			
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps		
Supplies			
Laser Cartridge Yields (up to) ¹	25,000-page High Yield Cartridge		
Photoconductor Estimated Yield: Up to ⁴	125000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) Shipping with Product ⁵	21,000-page Starter Toner Cartridge		
Paper Handling			
Included Paper Handling	250-Sheet Output Bin, 150-Sheet Multipurpose Feeder, 2 x 500-Sheet Input		
Optional Paper Handling	Staple Punch Finisher, Inline Stapler, 2,500-Sheet Tandem Tray, 3,000-Sheet Tray, Booklet Finisher, 2 x 500-Sheet Tray		Staple Punch Finisher, 2,500-Sheet Tandem Tray, 3,000-Sheet Tray, Booklet Finisher, 2 x 500-Sheet Tray
Paper Input Capacity: Up to	Standard: 1150 pages 75 gsm bond / Maximum: 6650 pages 75 gsm bond		
Paper Output Capacity: Up to	Standard: 250 pages 75 gsm bond / Maximum: 3500 pages 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A3, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Universal, Super Tabloid (12 x 18"), Oficio, A6, SRA3		
General Information			
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A)		
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel		
Noise Level: Operating	Print: 52 dBA / Copy: 53 dBA / Scan: 57 dBA	Print: 53 dBA / Copy: 54 dBA / Scan: 56 dBA	Print: 55 dBA / Copy: 55 dBA / Scan: 56 dBA
Specified Operating Environment	Altitude: 0 - 2,500 Metres (8,200 Feet), Humidity: 15 to 85% Relative Humidity, Temperature: 10 to 30°C (50 to 86°F)		
Size (mm - H x W x D) / Weight	909 x 615 x 697 mm / 95 kg		

¹Average yield based on approximately 5% print coverage. ²“Recommended Monthly Page Volume” is a range of pages that helps customers evaluate Lexmark’s product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³“Maximum Monthly Duty Cycle” is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁵Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁶Average standard page yield value in one-sided (simplex) mode declared in accordance with ISO/IEC 19752.

This is a Class A device according to the FCC Rules and EN 55022/EN 55032 emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.



www.lexmark.co.uk



© 2019 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners.

AirPrint and the AirPrint logo are trademarks of Apple Inc.